

S K I C A T A L O G 2 0 1 9 - 2 0

*Always Good Times*



**elan**

[www.elanjapan.co.jp](http://www.elanjapan.co.jp)





## WE BUILD SKIS

1945年に最初の木製スキーを製作して以来、エランのコレクションは毎年新たな機能が加わり進化し常にスキー界の方向性を決定づけてきました。

1990年にスキーの概念自体を変えたカービングスキーの開発、2006年には高いねじれ剛性とソフトフレックスを両立させたウェイブフレックスでの特許取得。そして2011年にはエラン独自の開発力と過去の特許技術を集大成した左右非対称の画期的な構造「アンフィビオテクノロジー」を発表、世界中のスキーヤーの技術上達に多大な貢献をもたらしました。

2015年にはアンフィビオスキーが更に進化を遂げたアンフィビオ4Dをリリース、2016年は超軽量でありながらBCフリーライドにおいて驚異的な対応力を持つアンフィビオTNTテクノロジーが世界中で最高の評価を得ました。

このように全てのスキーヤーが雪山で感動のシーンを綴り続けるためにプロデュースされるエランスキーは、その全てがスロベニア・アルプスの麓に位置するベグニエ本社工場で生産されています。

私たちエランは、スキーを愛する人々がこれからも最高のスキーシーンを楽しむことを心より願いながら、これからもスキーを創り続けます。

RACE PRECISION

ALL MOUNTAIN BLACK EDITION



	GSX WORLD CUP Plate	GSX WORLD CUP X Plate	SLX WORLD CUP Plate	GSX TEAM Plate	SLX TEAM Plate	GSX MASTER Plate	GSX Fusion X	SLX Fusion X	SL Fusion X	PORSCHE DESIGN ELAN AMPHIBIO	RIPSTICK 106 BLACK EDITION	RIPSTICK 96 BLACK EDITION	INSOMNIA BLACK EDITION Power Shift
<b>SALES CODE</b>	AABFDG19	AABFDH19	AAEFDK19	AACFDM19, AACFDR19	AAFFDP19, AAFD19	AABFEJ19	AAJFEK19, AABFEL19 (Plate)	AAKEYG19, AAEFEM19 (Plate)	AALFAD19	ABHEXD19	ADAFJN19	ADDEFB18	ACCFJ19
<b>PROFILE</b>				Early Rise Rocker	Early Rise Rocker	Arrow Rocker	Arrow Rocker	Arrow Rocker	Arrow Rocker	Amphibio	Amphibio	Amphibio	Amphibio
<b>TECHNOLOGY</b>	RST Sidewall, Response Frame Woodcore, Dual Ti	RST Sidewall, Response Frame Woodcore, Dual Ti	RST Sidewall, Response Frame Woodcore, Dual Ti	RST sidewall, Response Frame, Woodcore, Fibreglass (134, 142, 150), Dual Ti (158, 166, 176, 182)	RST sidewall, Response Frame, Woodcore, Dual Ti, Fibreglass*	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	TruLine Technology, RST Sidewall, Laminated Woodcore, Carbon, Dual Ti	TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Carbon	TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Carbon	TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti
<b>GEOMETRY</b>	FIS approved	FIS approved	FIS approved	FIS approved	FIS approved	110/69/94	110/69/94	121/68/104	121/68/104	121/73/104	140/106/122	134/96/113	121/73/104
<b>LENGTH RADIUS</b>	188(≥30), 193(≥30)	185(≥25), 191(≥27)	157(≥11.5), 165(≥12.6)	134(≥13.0)*, 142(≥15.0)*, 150(≥15.0)*, 158(≥17.0)*, 166(≥17.5), 171(≥20.5), 176(≥20), 182(≥25)	133(≥10.5)*, 139(≥10.5)*, 145(≥11.0), 151(≥11.5)	175(19.0), 180(21.2), 182(23.9)*, 185(25.1)*	170(17.4), 175(19.0), 180(21.2)	155(11.0), 160(12.0), 165(12.8), 170(13.5)	155(11.2), 160(12.2), 165(12.8), 170(13.5)	160(13.3), 166(14.5), 172(15.7), 178(17.0)	167(15.8), 174(17.0), 181(18.1), 188(20.4)	167(14.9), 174(16.2), 181(18.0), 188(19.5)	146(11.3), 152(12.2), 158(13.3), 164(14.5), 170(15.7)
<b>WEIGHT</b>											1799g +/- 50g (181)	1550g +/- 50g (181)	
<b>SYSTEM PLATE</b>	Flat / RACEPLATE WCR 14	Flat / RACEPLATE WCR 14	Flat / RACEPLATE WCR 14	EP 11.5 DUO*	EP 11.5 DUO, EP 11 X*	Raceplate Evo 14 / Raceplate WCR 14*	Fusion X + Arrow Carbon Plate /	Fusion X + Arrow Carbon Plate /	Fusion X / Arrow Plate	Fusion X + Carbon Plate	Flat	Flat	Power Shift
<b>BINDING</b>	ER 17.0 FREEFLEX EVO BRAKE 85 ER 14.0 FREEFLEX EVO BRAKE 85	ER 17.0 FREEFLEX EVO BRAKE 85 ER 14.0 FREEFLEX EVO BRAKE 85	ER 17.0 FREEFLEX EVO BRAKE 85 ER 14.0 FREEFLEX EVO BRAKE 85	ER 14.0 FF EVO BLK_FGRN, ER 11.0 FF EVO BLK_FGRN*	ER 14.0 FF EVO BLK_FGRN, ER 11.0 FF EVO BLK_FGRN*	ER 17.0 FREEFLEX EVO ER 14.0 FREEFLEX EVO	EMX 12.0 GW Fusion X BLK/GRN	EMX 12.0 GW FusionX BLK/GRN	EMX 11.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/MET			BINDING_ELX 11.0 SHIFT GW BLK
<b>PAGE</b>	P-10	P-10	P-10	P-10	P-10	P-11	P-11	P-11	P-11	P-12	P-13	P-13	P-13

ADVENTURE IBEX

ELEMENT

ALL MOUNTAIN

NEW MODEL



	IBEX 94 CARBON XLT	IBEX 94 CARBON	IBEX 84 CARBON XLT	IBEX 84 CARBON	IBEX 84	IBEX 78	ELEMENT GREEN Light Shift	ELEMENT BLACK Light Shift	ELEMENT BLUE Light Shift	EXPLORE 6 GREEN Light Shift	EXPLORE 6 RED Light Shift	FREELINE CAMO QUICK Shift	INSOMNIA Power Shift	INSPIRE Power Shift
<b>SALES CODE</b>	ADJEU19	ADKEU19	ADJEU19	ADMEU19	ADNEY19	ADOEUP19	ABMEV19	ABMBF19	ABMEV19	ABPFF19	ABPFF19	AG4CDS16	ACCECY19	ACDFAE19
<b>PROFILE</b>	Mountain Rocker	Mountain Rocker	Mountain Rocker	Mountain Rocker	Mountain Rocker	Mountain Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Conventional	Amphibio	Amphibio
<b>TECHNOLOGY</b>	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Carbon Power Shell	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Fibreglass	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Carbon Power Shell	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Fibreglass	Bridge Technology, TubeLite Woodcore, Vapor Inserts, CVA Plate, Fibreglass	Bridge Technology, Laminated Woodcore, Vapor Inserts, CVA Plate, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass	Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass	Full Power Cap, Synflex core, twin tip	TruLine Technology, RST sidewall, Laminated Woodcore, Mono Ti	TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Mono Ti
<b>GEOMETRY</b>	130/94/111	130/94/111	120/84/105	120/84/105	120/84/105	114/78/100	127/76/102	127/76/102	127/76/102	114/71/103	114/71/103	111/87/100*, 115/76/105	121/73/104	125/76/107
<b>LENGTH RADIUS</b>	163(18.9), 170(20.1), 177(21.2), 184(22.7)	163(18.9), 170(20.1), 177(21.2), 184(22.7)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)	138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)	99 (7.7)*, 125 (8.5), 135 (10.3)	146(11.3), 152(12.2), 158(13.3), 164(14.5), 170(15.7)	152(11.6), 158(13.1), 166(14.6)
<b>WEIGHT</b>	1360g +/- 50g (170)	1390g +/- 50g (170)	1210g +/- 50g (170)	1270g +/- 50g (170)	1400g +/- 50g (170)	1330g +/- 50g (170)								
<b>SYSTEM PLATE</b>	Flat	Flat	Flat	Flat	Flat	Flat	Light Shift	Light Shift	Light Shift	Light Shift	Light Shift	Quick Shift	Power Shift	Power Shift
<b>BINDING</b>							EL 10.0 SHIFT GW BLK/GRN	EL 10.0 SHIFT GW BLK/GRN	EL 10.0 SHIFT GW BLK/ORG	EL 9.0 GW SHIFT	EL 9.0 GW SHIFT	EL 10.0 SHIFT WB 90 / GW BLK/SMOK	ELW 11.0 SHIFT GW BLK_BLUE B85	ELW 10.0 GW SHIFT BLK/PNK
<b>PAGE</b>	P-23	P-23	P-23	P-23	P-23	P-23	P-24	P-24	P-24	P-25	P-25	P-25	P-27	P-27

ALL MOUNTAIN AMPHIBIO

ALL MOUNTAIN WINGMAN

FREERIDE RIPSTICK

<b>AMPHIBIO 18 TI2</b> Fusion X	<b>AMPHIBIO 16 TI</b> Fusion X	<b>AMPHIBIO 14 TI</b> Fusion X	<b>AMPHIBIO 12 C</b> Power Shift	<b>AMPHIBIO 10 TI</b> Power Shift	<b>WINGMAN 86 CTI</b> Fusion X/Flat	<b>WINGMAN 82 CTI</b> Fusion X/Flat	<b>WINGMAN 82 TI</b> Power Shift/Flat	<b>WINGMAN 78 TI</b> Power Shift	<b>WINGMAN 78 C</b> Power Shift	<b>RIPSTICK 116</b>	<b>RIPSTICK 106</b>	<b>RIPSTICK 96</b>	<b>RIPSTICK 88</b>
ABHEUE19	ABIEUH19	ABJFEV19	ABKFFE19	ABLFJM19	ABAEVU19, ABAEVX19 (Flat)	ABBEWA19, ABBEWD19 (Flat)	ABFEWG19, ABFEWK19 (Flat)	ABGFHW19	ABGLB19	A00DXF18	A00DXL18	AD1DXG18	ADGEU19
Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio
TruLine Technology, RST sidewall, Laminated Woodcore, Dual Ti, NanoTech running base	TruLine Technology, RST sidewall, Laminated Woodcore, Mono Ti, NanoTech running base	TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Mono Ti	TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Carbon	TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Carbon	TruLine Technology, SST sidewall, TubeLite Woodcore, Carbon Rods, Mono Ti	TruLine Technology, SST sidewall, TubeLite Woodcore, Carbon Rods, Mono Ti	TruLine Technology, SST sidewall, Laminated Woodcore, Mono Ti	TruLine Technology, SST sidewall, PowerShell, Power Woodcore, Mono Ti	TruLine Technology, SST sidewall, PowerShell, Power Woodcore, Mono Ti	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass
121/73/104	121/73/104	125/76/104	125/76/104	125/76/104	130/86/115	129/82/112	129/82/112	125/78/104	125/78/104	143/116/132	140/106/122	134/96/113	130/88/105
160(13.3), 166(14.5), 172(15.7), 178(17.0)	160(13.3), 166(14.5), 172(15.7), 178(17.0)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	185(20.3), 193(22.9)	167(15.8), 174(17.0), 181(18.1), 188(20.4)	167(14.9), 174(16.2), 181(18.0), 188(19.5)	151(13.0), 158(13.7), 165(14.2), 172(15.4), 179(17.0), 186(18.9)
Fusion X	Fusion X	Fusion X	Power Shift	Power Shift	Fusion X / Flat	Fusion X / Flat	Power Shift / Flat	Power Shift	Power Shift	Flat	Flat	Flat	Flat
EMX 12.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/ORG	EMX 11.0 GW Fusion X BLK/ORG	ELS 11.0 SHIFT GW BLACK	EL 10.0 SHIFT GW BLACK	EMX 12.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/ORG	ELX 11.0 GW SHIFT BLK/ORG	ELS 11.0 SHIFT GW BLACK	EL 10.0 SHIFT GW BLK/GRN	1900g +/-50g (185)	weight: 1830g +/-50g (181)	1610g +/-50g (181)	1830g +/-50g (181)
P-17	P-17	P-17	P-17	P-17	P-19	P-19	P-19	P-19	P-19	P-21	P-21	P-21	P-21

ALL MOUNTAIN KIDS


<b>IMAGINE</b> Power Shift	<b>DELIGHT PRIME BLACK</b> Light Shift	<b>DELIGHT PRIME WHITE</b> Light Shift	<b>ELEMENT WHITE</b> Light Shift	<b>ELEMENT BLACK/BLUE</b> Light Shift	<b>ZEST BLUE</b> Light Shift	<b>SNOW</b> Light Shift	<b>RIPSTICK 102 W</b>	<b>RIPSTICK 94 W</b>	<b>RIPSTICK 88 W</b>	<b>IBEX 84W CARBON</b>	<b>RC RACE</b> Shift	<b>MAXX BLK RED</b> Quick Shift	<b>SKY</b> Quick Shift	<b>PINBALL CAMO</b> Quick Shift	<b>LIL SNOW</b> Quick Shift
ACEFKK19	ACGFBU19	ACGFJF19	ABMEVN19	ABMEVP19	ACJFER19	ACKFES19	ADEDXY18	AD1DYC18	ADGEUX19	ADMJH19	AF0DZW18	AFDEZJ19	AFFEZG19	AFMFST19	AFMFSS19
Amphibio	EarlyRise Rocker	EarlyRise Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Amphibio	Amphibio	Amphibio	Mountain Rocker	WaveFlex	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker
TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Carbon	SlimShape Technology, PST sidewall, Laminated Woodcore, Mono Ti	SlimShape Technology, PST sidewall, Laminated Woodcore, Mono Ti	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Waveflex Technology, Full Power Cap, Dual Woodcore, Fibreglass	Dynaflex Technology, Full Power Cap, MonoLite Woodcore, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT Technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	Bridge technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CIA Plate, Fibreglass	Full Power Cap, Dual Woodcore, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	U-Flex Technology, Full Power Cap, Synflex, Fibreglass	Full Power Cap, Synflex Core, Fibreglass	Full Power Cap, Synflex Core, Fibreglass
125/76/107	126/76/103	126/76/103	127/76/102	127/76/102	125/76/103	114/72/103	143/102/120	135/94/110	130/88/105	120/84/105	114/70,5/99	101/69/90	101/69/90	125/76/103	101/67/91
144(10.2), 152(11.6), 158(13.1), 166(14.6)	146(10.5), 152(11.5), 158(12.6), 164(14.1)	146(10.5), 152(11.5), 158(12.6), 164(14.1)	144(10.6), 152(12.0), 160(13.5), 168(15.2)	144(10.6), 152(12.0), 160(13.5), 168(15.2)	140(10.2), 146(10.5), 152(12.3), 158(13.9)	140(9.5), 146(10.5), 152(11.9), 158(13.4)	156(15.0), 163(15.8), 170(17.0), 177(18.1)	156(14.0), 163(15.0), 170(16.2), 177(18.0)	149(13.0), 156(13.7), 163(14.2), 170(15.4), 177(17.0)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	110(6.2), 120(7.5), 130(8.9), 140(10.3), 150(11.9)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
Power Shift	Light Shift	Light Shift	Light Shift	Light Shift	Light Shift	Light Shift	Flat	Flat	Flat	Flat	SLR2	Quick Shift	Quick Shift	Quick Shift	Quick Shift
ELW 9.0 SHIFT GW BLK	ELW 9.0 GW SHIFT BLK/PNK	ELW 9.0 SHIFT GW BLK/BLUE	ELW 9.0 SHIFT GW BLK/BLUE	ELW 9.0 SHIFT GW BLK/BLUE	ELW 9.0 GW SHIFT WHT	EL 7.5 GW AC SHIFT WHT	1730g +/- 50g (170)	1560g +/- 50g (170)	1480g +/- 50g (166)	1270g +/- 50g (170)	EL 4.5_7.5 GW AC SHIFT	EL 4.5 GW AC SHIFT BLK	EL 4.5 GW AC SHIFT WHT	EL 4.5 GW AC SHIFT BLK	EL 4.5 GW AC SHIFT
P-27	P-28	P-28	P-28	P-28	P-28	P-28	P-28	P-29	P-29	P-29	P-29	P-30	P-30	P-30	P-30

# FUSION X – THE NEXT GENERATION OF BINDING SYSTEMS

チタナルブリッジで補強され、高速ターンにおける安定性が向上しました。スキーヤーの運動に素早く追従する応答性とスキーフレックスを100%発揮するたわみ特性が新次元のターンフィーリングを提供します。



## PYRAMID SHAPE

スキーヤーのエッジング動作に素早く反応。シャープで安定感のあるターンフィーリングを提供します。



## VIBRATION ABSORBER

スキーから伝わる余分な振動を吸収・低減します。



LIGHTWEIGHT DESIGN



### PERFECT FREE-FLEX

プレートとスキー、メタルブリッジとビンディング、  
両方によるダブルフリーフレックスシステムが  
完璧なスキーフレックスを引き出します。

## ・ FUSION SYSTEM ・

### ALUMINUM REINFORCEMENT

軽量で強靱なチタナルブリッジがスキーセンター  
を補強することで、足元の安定性を高めることに  
寄与します。



RACE  
PRECISION

# ARROW TECHNOLOGY


Power & control  
to take charge.

アローテクノロジー、それは綿密に計算されたカッティング形状のチタニウムとキャンバーカーボンプレートのコンビネーションにより、トップスキーヤーが必要とするパワフルでクイックなレスポンスと、乗り手の意思を瞬時に再現する正確で調和のとれた操作性を実現します。新しく生まれ変わったエランレーシングスキーは、ワイドなスイートスポットと雪面を切り裂くようなエッジグリップ、そして胸のすく加速力など、エクササイズの領域を超えた攻めるスキーヤーのための性能が満載です。

ARROW™  
TECHNOLOGY








01

### CAMBERED CARBON PLATE


キャンバカーボンプレートがターン中のパワーを蓄積、ワイドなスイートスポットと推進力の高い「速いターン」につなげる。



02

### ARROW TIP


チップ部のアローシェイプチタンが不要なエッジングリップを抑え、優れた安定性とスキーヤーの意思に即応する俊敏な反応を実現。



03

### ARROW TAIL

滑らかなアローシェイプチタンが、シャープでありながらスムーズなターンの抜けを生む。




04

### RESPONSE FRAME WOODCORE

WCスキーと同じ、しなやかで振動吸収性に優れたレスポンスフレームウッドコアを採用。

## ・ FUSION X SYSTEM ・

NEW MODEL



05

### FUSION X SYSTEM

世界で初めて完全なフリーフレックスを完成させたプレートビンディングシステムが更に進化。





### GSX WORLD CUP Plate

■BIN/ER17FF ¥155,000 (税抜価格) ■BIN/ER14FF ¥145,000 (税抜価格)

CODE\_AABFDG19

TECHNOLOGY\_RST Sidewall, Response Frame Woodcore, Dual Ti GEOMETRY\_FIS approved LENGTH RADIUS\_188(≥30), 193(≥30) SYSTEM/PLATE\_Flat / RACEPLATE WCR 14  
BINDING\_ER 17.0 FREEFLEX EVO BRAKE 85, ER 14.0 FREEFLEX EVO BRAKE 85



### GSX WORLD CUP X Plate

■BIN/ER17FF ¥155,000 (税抜価格) ■BIN/ER14FF ¥145,000 (税抜価格)

CODE\_AABFDH19

TECHNOLOGY\_RST Sidewall, Response Frame Woodcore, Dual Ti GEOMETRY\_FIS approved LENGTH RADIUS\_185(≥25), 191(≥27) SYSTEM/PLATE\_Flat / RACEPLATE WCR 14  
BINDING\_ER 17.0 FREEFLEX EVO BRAKE 85, ER 14.0 FREEFLEX EVO BRAKE 85



### SLX WORLD CUP Plate

■BIN/ER17FF ¥155,000 (税抜価格) ■BIN/ER14FF ¥145,000 (税抜価格)

CODE\_AAEFDK19

TECHNOLOGY\_RST Sidewall, Response Frame Woodcore, Dual Ti GEOMETRY\_FIS approved LENGTH RADIUS\_157(≥11.5), 165(≥12.6) SYSTEM/PLATE\_Flat / RACEPLATE WCR 14  
BINDING\_ER 17.0 FREEFLEX EVO BRAKE 85, ER 14.0 FREEFLEX EVO BRAKE 85



### GSX TEAM Plate

■BIN/ER14FF ¥95,000 (税抜価格) ■BIN/ER11FF ¥85,000 (税抜価格)

CODE\_AACFDM19, AACFDR19 PROFILE\_Early Rise Rocker TECHNOLOGY\_RST sidewall, Response Frame, Woodcore, Fibreglass\* (134, 142, 150), Dual Ti (158, 166, 176, 182) GEOMETRY\_FIS approved  
LENGTH RADIUS\_134(≥13.0)\*, 142(≥15.0)\*, 150(≥15.0)\*, 158(≥17.0)\*, 166(≥17.5), 171(≥20.5), 176(≥23), 182(≥25) SYSTEM/PLATE\_EP 11.5 DUO\*  
BINDING\_ER 14.0 FF EVO BLK\_FGRN, ER 11.0 FF EVO BLK\_FGRN\*



### SLX TEAM Plate

■BIN/ER14FF ¥95,000 (税抜価格) ■BIN/ER11FF ¥85,000 (税抜価格)

CODE\_AAFFDP19, AAFFDT19 PROFILE\_Early Rise Rocker


TECHNOLOGY\_RST sidewall, Response Frame, Woodcore, Dual Ti, Fibreglass\* GEOMETRY\_FIS approved  
LENGTH RADIUS\_133(≥10.5)\*, 139(≥10.5)\*, 145(≥11.0), 151(≥11.5) SYSTEM/PLATE\_EP 11.5 DUO, EP 11 X\* BINDING\_ER 14.0 FF EVO BLK\_FGRN, ER 11.0 FF EVO BLK\_FGRN\*



### GSX MASTER Plate

■BIN/ER17FF ¥155,000(税抜価格) ■BIN/ER14FF ¥145,000(税抜価格)


**CODE** AABFEJ19 **PROFILE** Arrow Rocker  
**TECHNOLOGY** Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base  
**GEOMETRY** 110/69/94 **LENGTH RADIUS** 175(19.0), 180(21.2), 182(23.9)\*, 185(25.1)\*  
**SYSTEM/PLATE** Raceplate Evo 14 / Raceplate WCR 14\* **BINDING** ER 17.0 FREEFLEX EVO, ER 14.0 FREEFLEX EVO



### GSX Fusion X

¥135,000(税抜価格)


**CODE** AAJFEK19, AABFEL19 (Plate) **PROFILE** Arrow Rocker  
**TECHNOLOGY** Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base  
**GEOMETRY** 110/69/94 **LENGTH RADIUS** 170(17.4), 175(19.0), 180(21.2)  
**SYSTEM/PLATE** Fusion X + Arrow Carbon Plate **BINDING** EMX 12.0 GW Fusion X BLK/GRN



### SLX Fusion X

¥135,000(税抜価格)


**CODE** AAKEYG19, AAEFEM19 (Plate) **PROFILE** Arrow Rocker  
**TECHNOLOGY** Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base  
**GEOMETRY** 121/68/104 **LENGTH RADIUS** 155(11.0), 160(12.0), 165(12.8), 170(13.5)  
**SYSTEM/PLATE** Fusion X + Arrow Carbon Plate **BINDING** EMX 12.0 GW Fusion X BLK/GRN



### SL Fusion X

¥105,000(税抜価格)

**CODE** AALFAD19 **PROFILE** Arrow Rocker  
**TECHNOLOGY** Arrow Technology, RST Sidewall, Response Frame Woodcore, MonoTi, NanoTech running base  
**GEOMETRY** 121/68/104 **LENGTH RADIUS** 155(11.2), 160(12.2), 165(12.8), 170(13.5)  
**SYSTEM/PLATE** Fusion X / Arrow Plate **BINDING** EMX 11.0 GW Fusion X BLK/GRN



# BLACK EDITION 2019/20

## PORSCHE DESIGN SPORTS EQUIPMENT

高いデザイン性を誇るポルシェデザインスタジオが手掛けるのは、ユニークでハイパフォーマンスを有する製品のみ。スキーにおいてELANだけが認められたポルシェデザインスタジオの監修。そのステータスとパフォーマンスを存分にお楽しみください。



NEW  
MODEL

AMPHIBIO  
TRULINE  
TECH

## PORSCHE DESIGN ELAN AMPHIBIO

¥150,000 (税抜価格)

CODE\_ABHDXD19

PROFILE\_Amphibio

TECHNOLOGY TruLine Technology,  
RST Sidewall, Laminated Woodcore,  
Carbon, Dual Ti

GEOMETRY\_121/73/104

LENGTH RADIUS\_160(13.3), 166(14.5),  
172(15.7), 178(17.0)

SYSTEM/PLATE\_Fusion X + Carbon Plate

BINDING\_EMX 12.0 GW Fusion X BLK/MET




W  
studio

CRYSTALS  
— FROM —  
SWAROVSKI  
CRYSTALS



NEW  
MODEL

AMPHIBIO  
TRULINE  
TECH



NEW  
MODEL

TNT  
TECHNOLOGY



TNT  
TECHNOLOGY

## INSOMNIA BLACK EDITION Power Shift

¥110,000 (税抜価格)

CODE\_ ACCFJJ19

PROFILE\_ Amphibio

TECHNOLOGY\_ TruLine Technology,  
RST Sidewall, Laminated Woodcore,  
Mono TI

GEOMETRY\_ 121/73/104

LENGTH RADIUS\_ 146(11.3), 152(12.2),  
158(13.3), 164(14.5), 170(15.7)

SYSTEM/PLATE\_ Power Shift

BINDING\_ ELX 11.0 SHIFT GW BLK

## RIPSTICK 106 BLACK EDITION

¥100,000 (税抜価格)

CODE\_ ADAFJN19

PROFILE\_ Amphibio

TECHNOLOGY\_ TNT Technology, SST Sidewall,  
TubeLite Woodcore, VaporTip, Carbon

GEOMETRY\_ 140/106/122

LENGTH RADIUS\_ 167(15.8), 174(17.0),  
181(18.1), 188(20.4)

WEIGHT\_ 1799g +/- 50g (181)

SYSTEM/PLATE\_ Flat

## RIPSTICK 96 BLACK EDITION

¥90,000 (税抜価格)

CODE\_ ADDEFB18

PROFILE\_ Amphibio

TECHNOLOGY\_ TNT Technology, SST Sidewall,  
TubeLite Woodcore, VaporTip, Carbon

GEOMETRY\_ 134/96/113

LENGTH RADIUS\_ 167(14.9), 174(16.2),  
181(18.0), 188(19.5)

WEIGHT\_ 1550g +/- 50g (181)

SYSTEM/PLATE\_ Flat




A M P H I B I O


# AMPHIBIO

ワクワクを生み出す異次元の運動性能。  
かつてないダイナミックなターンをより簡単に、  
より効率的に再現できる、オンピステのスーパースキー登場。

第3世代に突入した、左右非対称アンフィビオプロファイル「トゥルーラインテクノロジー」を搭載。余分な素材を削ぎ落とし、必要最低限かつ最適なマテリアルの配置によって、軽量でありながらハイスピードを得意とする画期的性能を発揮します。



AMPHIBIO TRULINE  
TECHNOLOGY  
FOR OPTIMAL TIP TO  
TAIL EDGE PRESSURE



AMPHIBIO PROFILE  
EASY TURNING & EDGE GRIP  
EDGE CONTACT



AMPHIBIO  
TRULINE  
• TECH •

# WINGMAN

さあ、飛び立つ準備をしてください。翼はここにあります。  
その翼はあなたを雪山のコンディションから解放し、どんな斜面  
も楽しめる勇気とミラクルパワーをあなたに与えるでしょう。

トップ&テール、インサイド&アウトサイド、全てにロッカープロファイルを備  
えた新しいアンフィビオです。適度なワイドウエストとカーボンチューブの効果  
が、雪質を問わない安定した操作性を発揮します。朝夕の雪質の変化を気にせ  
ずに1日いっぱい飛び回りましょう！




W I N G M A N



**AMPHIBIO TRULINE  
TECHNOLOGY**  
FOR OPTIMAL TIP TO  
TAIL EDGE PRESSURE

**LIGHT TIP**  
FOR GREATER  
VERSATILITY  
& FLOTATION

**CARBON RODS**  
FOR LIGHTWEIGHT  
& POWERFUL REBOUND



**AMPHIBIO PROFILE**  
EASY TURNING & EDGE GRIP  
EDGE CONTACT



**AMPHIBIO  
TRULINE  
• TECH •**





# AMPHIBIO TRULINE TECHNOLOGY

Perfection inside and out.

常に最適なエッジプレッシャー配分をオートマチックに再現する、第3世代の左右非対称アンフィビオプロファイル。「TRULINE」テクノロジー搭載。




AMPHIBIO  
TRULINE  
・TECH・



01

## AMPHIBIO TRULINE TECHNOLOGY

全てのエッジに最適なプレッシャー配分を実現。



03


## WOODCORE CONSTRUCTION

しなやかでフレキシブルなウッドコア。

02

## REINFORCEMENT

インサイドエッジのグリップ向上。



05

## AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。

04

## NANO TECHNOLOGY

分子レベルで制御されたナノテクノロジーによって、ムラのない高い滑走性とワックス保持力を持つ。



## ・FUSION X SYSTEM・

NEW  
MODEL



06

## FUSION X SYSTEM

第5世代フュージョンシステム。





NEW MODEL




## AMPHIBIO 18 TI2

Fusion X

¥125,000 (税抜価格)



CODE\_ABHEUE19 PROFILE\_Amphibio  
 TECHNOLOGY\_TruLine Technology, RST Sidewall, Laminated Woodcore, Dual Ti, NanoTech running base GEOMETRY\_121/73/104  
 LENGTH RADIUS\_160(13.3), 166(14.5), 172(15.7), 178(17.0) SYSTEM/PLATE\_Fusion X BINDING\_EMX 12.0 GW Fusion X BLK/GRN



NEW MODEL




## AMPHIBIO 16 TI

Fusion X

¥105,000 (税抜価格)



CODE\_ABIEUH19 PROFILE\_Amphibio  
 TECHNOLOGY\_TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti, NanoTech running base GEOMETRY\_121/73/104  
 LENGTH RADIUS\_160(13.3), 166(14.5), 172(15.7), 178(17.0) SYSTEM/PLATE\_Fusion X BINDING\_EMX 12.0 GW Fusion X BLK/ORG



NEW MODEL



## AMPHIBIO 14 TI

Fusion X

¥95,000 (税抜価格)



CODE\_ABJFEV19 PROFILE\_Amphibio  
 TECHNOLOGY\_TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti GEOMETRY\_125/76/104  
 LENGTH RADIUS\_152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE\_Fusion X BINDING\_EMX 11.0 GW Fusion X BLK/ORG



NEW MODEL



## AMPHIBIO 12 C

Power Shift

¥85,000 (税抜価格)



CODE\_ABKFFE19 PROFILE\_Amphibio  
 TECHNOLOGY\_TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Carbon GEOMETRY\_125/76/104  
 LENGTH RADIUS\_152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE\_Power Shift BINDING\_ELS 11.0 SHIFT GW BLACK



NEW MODEL




## AMPHIBIO 10 TI

Power Shift

¥75,000 (税抜価格)



CODE\_ABJFEV19 PROFILE\_Amphibio  
 TECHNOLOGY\_TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti GEOMETRY\_125/76/104  
 LENGTH RADIUS\_152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE\_Power Shift BINDING\_EL 10.0 SHIFT GW BLK/GRN





# AMPHIBIO TRULINE TECHNOLOGY

Perfection inside and out.

常に最適なエッジプレッシャー配分をオートマチックに再現する、第3世代の左右非対称アンフィビオプロフィール。「TRULINE」テクノロジー搭載。



AMPHIBIO  
TRULINE  
・TECH・



01

## AMPHIBIO TRULINE TECHNOLOGY

全てのエッジに最適なプレッシャー配分を実現。



03


## REINFORCEMENT

インサイドエッジのグリップ向上。

02

## LIGHT TIP

あらゆる雪質で汎用性が高い浮力を確保。



05


## AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。

04

## CARBON RODS

スキーのサイドカットに沿う曲線で内部に配置された直径5mmの中空カーボンチューブ。軽量化と同時に捻じれ強度の安定とエッジサイドへのパワー伝達を強化。



## ・FUSION X SYSTEM・


NEW MODEL

06

## FUSION X SYSTEM

第5世代フュージョンシステム。






## WINGMAN 86 CTI

Fusion X/Flat

■ FUSION X ¥125,000 (税抜価格) ■ FLAT ¥95,000 (税抜価格)



CODE\_ABAEVU19, ABAEVX19 (Flat) PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods, MonoTi GEOMETRY\_130/86/115 LENGTH\_RADIUS\_160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4) SYSTEM/PLATE\_Fusion X / Flat BINDING\_EMX 12.0 GW Fusion X BLK/GRN




## WINGMAN 82 CTI

Fusion X/Flat

■ FUSION X ¥120,000 (税抜価格) ■ FLAT ¥90,000 (税抜価格)



CODE\_ABBEWA19, ABBEWD19 (Flat) PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Mono Ti GEOMETRY\_129/82/112 LENGTH\_RADIUS\_160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7) SYSTEM/PLATE\_Fusion X / Flat BINDING\_EMX 12.0 GW Fusion X BLK/ORG




## WINGMAN 82 TI

Power Shift/Flat

■ POWER SHIFT ¥95,000 (税抜価格) ■ FLAT ¥70,000 (税抜価格)



CODE\_ABFEWG19, ABFEWK19 (Flat) PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, SST Sidewall, Laminated Woodcore, Mono Ti GEOMETRY\_129/82/112 LENGTH\_RADIUS\_160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7) SYSTEM/PLATE\_Power Shift BINDING\_ELX 11.0 GW SHIFT BLK/ORG




## WINGMAN 78 TI

Power Shift

¥85,000 (税抜価格)



CODE\_ABGFWH19 PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Mono Ti GEOMETRY\_125/78/104 LENGTH\_RADIUS\_152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE\_Power Shift BINDING\_ELS 11.0 SHIFT GW BLACK




## WINGMAN 78 C

Power Shift

¥75,000 (税抜価格)





CODE\_ABGFLB19 PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Carbon GEOMETRY\_125/78/104 LENGTH\_RADIUS\_152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE\_Power Shift BINDING\_EL 10.0 SHIFT GW BLK/GRN



Confidence building performance for any situation on the mountain.

TNTテクノロジーはチューブライトウッドコアとのコンビネーションによるユニークで革新的な構造です。エッジサイドに沿った5mm径のカーボンチューブを内蔵したウッドコアのトップ&テール部に、軽量で振動抑制効果を持つヴェイパーチップを埋め込むことで、超軽量でバランスのとれた基本性能を獲得しました。軽快なレスポンスと確かな安定性が、スムーズで調和のとれたライディングをもたらします。



01

### VAPOR TIP INSERTS

軽量で柔らかく粘りのあるヴェイパーチップをスキートップとテールの最適な位置にインサートしました。これにより重量とスウィングウェイトの軽量化とフローテーション効果を発揮、驚くほどスムーズなライディングをもたらします。

02

### TUBELITE WOODCORE

軽量ラミネートウッドコアに二本の超軽量カーボンチューブを内蔵させたチューブライトテクノロジー。

03

### AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。

04

### CARBON RODS

スキーのサイドカットに沿う曲線で内部に配置された直径5mmの中空カーボンチューブ。軽量化と同時に捻じれ強度の安定とエッジサイドへのパワー伝達を強化。

05

### SST SIDEWALL

FOR DIRECT POWER TRANSMISSION






## RIPSTICK 116

¥90,000 (税抜価格)



**CODE** ADODXF18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 143/116/132 **LENGTH RADIUS** 185(20.3), 193(22.9) **WEIGHT** 1900g +/-50g (185) **SYSTEM/PLATE** Flat




## RIPSTICK 106

¥86,000 (税抜価格)



**CODE** ADODXL18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 140/106/122 **LENGTH RADIUS** 167(15.8), 174 (17.0), 181(18.1), 188(20.4) **WEIGHT** 1830g +/-50g (181)  
**SYSTEM/PLATE** Flat




## RIPSTICK 96

¥76,000 (税抜価格)



**CODE** AD1DXG18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 134/96/113 **LENGTH RADIUS** 167(14.9), 174(16.2), 181(18.0), 188(19.5) **WEIGHT** 1610g +/-50g (181)  
**SYSTEM/PLATE** Flat



NEW MODEL




## RIPSTICK 88

¥70,000 (税抜価格)



**CODE** ADGEUU19 **PROFILE** Amphibio **TECHNOLOGY** TNT technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 130/88/105 **LENGTH RADIUS** 151(13.0), 158(13.7), 165(14.2), 172(15.4), 179(17.0), 186(18.9)  
**WEIGHT** 1830g +/-50g (181) **SYSTEM/PLATE** Flat






# BRIDGE TECHNOLOGY

Uphill efficiency meets power and performance.

ブリッジテクノロジーは、軽量化を実現し、ねじれ剛性と比類のないパワー伝達を可能にしました。革新的でユニークな3D形状は、スノーハイクをよりスムーズに改善し、ウッドコアプロファイルにより滑らかな乗り心地を実現し、ペーパーチップインサートの採用で軽量化されています。


**BRIDGE**  
TECHNOLOGY



01

## CARBON POWER SHELL

超軽量とパワフルなターンを可能とするトーションバランス、プロフェッショナル使用のフルカーボンシェル。



02

## CYA PLATE


ビンディングのピス抜けを防ぎ安定した足元強度を確保します。



03

## VAPOR INSERTS


スキーの軽量化を図り、スムーズなターンをもたらします。



04

## TUBELITE WOODCORE

内蔵された3本のカーボンチューブがトーションとフレックスのバランスを高めます。



05

## CARBON RODS

スキーのサイドカットに沿う曲線で内部に配置された直径5mmの中空カーボンチューブ。軽量化と同時に捻じれ強度の安定とエッジサイドへのパワー伝達を強化。



## IBEX 94 CARBON XLT

¥90,000(税抜価格)

BRIDGE  
TECHNOLOGY

CODE\_ADJEUC19 PROFILE\_Mountain Rocker TECHNOLOGY\_Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Carbon Power Shell  
GEOMETRY\_130/94/111 LENGTH RADIUS\_163(18.9), 170(20.1), 177(21.2), 184(22.7)  
WEIGHTS\_1360g +/- 50g (170) SYSTEM/PLATE\_Flat




## IBEX 94 CARBON

¥75,000(税抜価格)

BRIDGE  
TECHNOLOGY

CODE\_ADKEUD19 PROFILE\_Mountain Rocker TECHNOLOGY\_Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Fibreglass  
GEOMETRY\_130/94/111 LENGTH RADIUS\_163(18.9), 170(20.1), 177(21.2), 184(22.7)  
WEIGHTS\_1390g +/- 50g (170) SYSTEM/PLATE\_Flat




## IBEX 84 CARBON XLT

¥85,000(税抜価格)

BRIDGE  
TECHNOLOGY

CODE\_ADJEUM19 PROFILE\_Mountain Rocker TECHNOLOGY\_Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Carbon Power Shell  
GEOMETRY\_120/84/105 LENGTH RADIUS\_149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)  
WEIGHTS\_1210g +/- 50g (170) SYSTEM/PLATE\_Flat



## IBEX 84 CARBON

¥70,000(税抜価格)

BRIDGE  
TECHNOLOGY

CODE\_ADMEUN19 PROFILE\_Mountain Rocker TECHNOLOGY\_Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Fibreglass  
GEOMETRY\_120/84/105 LENGTH RADIUS\_149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)  
WEIGHTS\_1270g +/- 50g (170) SYSTEM/PLATE\_Flat




## IBEX 84

¥55,000(税抜価格)

BRIDGE  
TECHNOLOGY

CODE\_ADNEYB19 PROFILE\_Mountain Rocker TECHNOLOGY\_Bridge Technology, Laminated Woodcore, Vapor Inserts, CYA Plate, Fibreglass  
GEOMETRY\_120/84/105 LENGTH RADIUS\_149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)  
WEIGHTS\_1400g +/- 50g (170) SYSTEM/PLATE\_Flat




## IBEX 78

¥54,000(税抜価格)

BRIDGE  
TECHNOLOGY

CODE\_ADOEUP19 PROFILE\_Mountain Rocker TECHNOLOGY\_Bridge Technology, Laminated Woodcore, Vapor Inserts, CYA Plate, Fibreglass  
GEOMETRY\_114/78/100 LENGTH RADIUS\_149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)  
WEIGHTS\_1330g +/- 50g (170) SYSTEM/PLATE\_Flat



ALL MOUNTAIN  
ELEMENT



# GROOVE TECHNOLOGY

Always in balance  
always in control.

## GROOVE

TECHNOLOGY


エレメントは、バランスのとれたポジションと高い安定性をもたらすスキープラットフォームを提供します。あらゆるターンにおいてバランスとコントロールを確実にするグルーブテクノロジーを装備し、Powerシェル構造によりすべてのレベルのスキーヤーに滑走時の安定性を提供します。更に、パラボリックロッカー採用により容易なターンを実現し、スムーズな上達を可能にします。



01

### GROOVE TECHNOLOGY


スキー全域にわたる適切なフレックスコントロールで、スキーヤーのバランス保持とスムーズなターンをサポート。



02

### POWER SHELL

パワー伝達に優れ、軽量かつ安定したエッジングを可能とするパワーシェル構造を採用。



01

02

03

03

### PARABOLIC ROCKER

放物線状にデザインされたサイドカットとロッカープロファイルにより、思い通りのライン取りとスムーズなターンをリードする。

## ELEMENT GREEN

Light Shift

¥58,000(税抜価格)




GROOVE  
TECHNOLOGY

CODE ABMEVL19 PROFILE Parabolic Rocker

TECHNOLOGY Groove Technology, Power Shell, Dual Woodcore, Fibreglass GEOMETRY 127/76/102

LENGTH RADIUS 144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9) SYSTEM/PLATE Light Shift BINDING EL 10.0 SHIFT GW BLK/GRN



## ELEMENT BLACK

Light Shift

¥58,000(税抜価格)




GROOVE  
TECHNOLOGY

CODE ABMFBF19 PROFILE Parabolic Rocker

TECHNOLOGY Groove Technology, Power Shell, Dual Woodcore, Fibreglass GEOMETRY 127/76/102

LENGTH RADIUS 144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9) SYSTEM/PLATE Light Shift BINDING EL 10.0 SHIFT GW BLK/GRN



## ELEMENT BLUE

Light Shift

¥58,000(税抜価格)




GROOVE  
TECHNOLOGY

CODE ABMEVM19 PROFILE Parabolic Rocker

TECHNOLOGY Groove Technology, Power Shell, Dual Woodcore, Fibreglass GEOMETRY 127/76/102

LENGTH RADIUS 144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9) SYSTEM/PLATE Light Shift BINDING EL 10.0 SHIFT GW BLK/ORG





ALL MOUNTAIN  
EXPLORE




## EXPLORE 6 GREEN

Light Shift

¥46,000 (税抜価格)

**CODE** ABPFFV19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass  
**GEOMETRY** 114/71/103 **LENGTH RADIUS** 138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)  
**SYSTEM/PLATE** LIGHT SHIFT **BINDING** EL 9.0 GW SHIFT BLK/SMOKE




## EXPLORE 6 RED

Light Shift

¥46,000 (税抜価格)

**CODE** ABPFFW19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass  
**GEOMETRY** 114/71/103 **LENGTH RADIUS** 138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)  
**SYSTEM/PLATE** LIGHT SHIFT **BINDING** EL 9.0 GW SHIFT BLK/SMOKE



ALL MOUNTAIN  
FREE LINE





## FREELINE CAMO 125/135

Quick Shift

¥48,000 (税抜価格)

**CODE** AG4CDS16 **PROFILE** Conventional  
**TECHNOLOGY** Full Power Cap, Synflex core, twin tip **GEOMETRY** 111/87/100\*, 115/76/105 **LENGTH RADIUS** 125 (8.5), 135 (10.3)  
**SYSTEM/PLATE** Quick Shift **BINDING** EL 10.0 SHIFT GW BLK/SMOK




## FREELINE CAMO 99

Quick Shift

¥45,000 (税抜価格)

**CODE** AG4CDS16 **PROFILE** Conventional  
**TECHNOLOGY** Full Power Cap, Synflex core, twin tip **GEOMETRY** 111/87/100 **LENGTH RADIUS** 99 (7.7)  
**SYSTEM/PLATE** Quick Shift **BINDING** EL 10.0 SHIFT WB 90 BLK/SMOKE





W


studio

15<sup>th</sup> anniversary

We  
rule

女性の、女性による、女性のためのスキースタジオ。それが「W-Studio」です。私たちは互いに支え合い、互いに愛し合い、互いに受け入れ合います。それが「W-Studio」、私たちが共生する理由です。私たちがあなたのために、みんなのためにつくるスキーで、最高の体験を得てください。さあ！ Whiteパラダイスへの第1歩を踏み出しましょう。私たちと一緒に！

# AMPHIBIO TRULINE •TECH•



## AMPHIBIO TRULINE TECHNOLOGY

全てのエッジに最適なプレッシャー配分を実現。

## REINFORCEMENT

インサイドエッジのグリップ向上。

## AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。


## WOODCORE CONSTRUCTION

しなやかでフレキシブルなウッドコア。


## INSOMNIA Power Shift

¥105,000 (税抜価格)

NEW MODEL



CODE\_ ACEYEC19 PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti  
GEOMETRY\_ 121/73/104 LENGTH RADIUS\_ 146(11.3), 152(12.2), 158(13.3), 164(14.5), 170(15.7)  
SYSTEM/PLATE\_Power Shift BINDING\_ELW 11.0 SHIFT GW BLK\_BLUE B85




## INSPIRE Power Shift

¥95,000 (税抜価格)

NEW MODEL



CODE\_ ACDFAE19 PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti  
GEOMETRY\_ 125/76/107 LENGTH RADIUS\_ 152(11.6), 158(13.1), 166(14.6)  
SYSTEM/PLATE\_Power Shift BINDING\_ELW 10.0 GW SHIFT BLK/PNK




## IMAGINE Power Shift

¥85,000 (税抜価格)

NEW MODEL



CODE\_ ACEFKK19 PROFILE\_Amphibio TECHNOLOGY\_TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Carbon  
GEOMETRY\_ 125/76/107 LENGTH RADIUS\_ 144(10.2), 152(11.6), 158(13.1), 166(14.6)  
SYSTEM/PLATE\_Power Shift BINDING\_ELW 9.0 SHIFT GW BLK





## DELIGHT PRIME BLACK

Light Shift

¥70,000 (税抜価格)



**CODE** ACGFBU19 **PROFILE** EarlyRise Rocker **TECHNOLOGY** SlimShape Technology, PST Sidewall, Laminated Woodcore, Mono Ti  
**GEOMETRY** 126/76/103 **LENGTH RADIUS** 146(10.5), 152(11.5), 158(12.6), 164(14.1)  
**SYSTEM/PLATE** Light Shift **BINDING** ELW 9.0 GW SHIFT BLK/PNK




## DELIGHT PRIME WHITE

Light Shift

¥70,000 (税抜価格)



**CODE** ACGFJF19 **PROFILE** EarlyRise Rocker **TECHNOLOGY** SlimShape Technology, PST Sidewall, Laminated woodcore, Mono Ti  
**GEOMETRY** 126/76/103 **LENGTH RADIUS** 146(10.5), 152(11.5), 158(12.6), 164(14.1)  
**SYSTEM/PLATE** Light Shift **BINDING** ELW 9.0 SHIFT GW BLK/BLUE




## ELEMENT WHITE

Light Shift

¥58,000 (税抜価格)



**CODE** ABMEVN19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Groove Technology, Power Shell, Dual Woodcore, Fibreglass  
**GEOMETRY** 127/76/102 **LENGTH RADIUS** 144(10.6), 152(12.0), 160(13.5), 168(15.2)  
**SYSTEM/PLATE** Light Shift **BINDING** ELW 9.0 SHIFT GW BLK/BLUE




## ELEMENT BLACK BLUE

Light Shift

¥58,000 (税抜価格)



**CODE** ABMEVP19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Groove Technology, Power Shell, Dual Woodcore, Fibreglass  
**GEOMETRY** 127/76/102 **LENGTH RADIUS** 144(10.6), 152(12.0), 160(13.5), 168(15.2)  
**SYSTEM/PLATE** Light Shift **BINDING** ELW 9.0 SHIFT GW BLK/BLUE




## ZEST BLUE

Light Shift

¥46,000 (税抜価格)




**CODE** ACJFER19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Waveflex Technology, Full Power Cap, Dual Woodcore, Fibreglass  
**GEOMETRY** 125/76/103 **LENGTH RADIUS** 140(10.2), 146(11.3), 152(12.3), 158(13.9)  
**SYSTEM/PLATE** LIGHT SHIFT **BINDING** ELW 9.0 GW SHIFT WHT




## SNOW

Light Shift

¥42,000 (税抜価格)



**CODE** ACKFES19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Dynaflex Technology, Full Power Cap, MonoLite Woodcore, Fibreglass  
**GEOMETRY** 114/72/103 **LENGTH RADIUS** 140(9.5), 146(10.5), 152(11.9), 158(13.4)  
**SYSTEM/PLATE** LIGHT SHIFT **BINDING** EL 7.5 GW AC SHIFT WHT



W STUDIO  
RIPSTICK




RIPSTICK 102 W

¥85,000(税抜価格)



**CODE** ADEDXY18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 143/102/120 **LENGTH RADIUS** 156(15.0), 163(15.8), 170(17.0), 177(18.1)  
**WEIGHT** 1730g +/- 50g (170) **SYSTEM/PLATE** Flat





RIPSTICK 94 W

¥75,000(税抜価格)



**CODE** AD1DYC18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 135/94/110 **LENGTH RADIUS** 156(14.0), 163(15.0), 170(16.2), 177(18.0)  
**WEIGHT** 1560g +/- 50g (170) **SYSTEM/PLATE** Flat




RIPSTICK 88 W


¥69,000(税抜価格)



**CODE** ADGEUX19 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass  
**GEOMETRY** 130/88/105 **LENGTH RADIUS** 149(13.0), 156(13.7), 163(14.2), 170(15.4), 177(17.0)  
**WEIGHT** 1460g +/- 50g (166) **SYSTEM/PLATE** Flat



W STUDIO  
TOURING




IBEX 84W  
CARBON

¥70,000(税抜価格)



**CODE** ADMFJH19 **PROFILE** Mountain Rocker  
**TECHNOLOGY** Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Fibreglass  
**GEOMETRY** 120/84/105  
**LENGTH RADIUS** 149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0) **WEIGHT** 1270g +/- 50g (170)  
**SYSTEM/PLATE** Flat



ALL MOUNTAIN  
KIDS



elanジュニアスキー・  
適用ブーツソールサイズ  
(ジュニア全モデル共通)  
70~100cm / 183mm~283mm  
100~120cm / 215mm~315mm  
130~150cm / 255mm~355mm

## RC RACE

Quick Shift

¥39,000(税抜価格)



CODE\_AF0DZW18 PROFILE\_WaveFlex TECHNOLOGY\_Full Power Cap, Dual Woodcore, Fiberglass

GEOMETRY\_114/70,5/99 LENGTH RADIUS\_110(6.2)\*, 120(7.5)\*, 130(8.9), 140(10.3), 150(11.9) SYSTEM/PLATE\_SLR2 BINDING\_EL 4.5 GW AC SHIFT\* / EL 7.5 GW AC SHIFT



### PROBLEM

Stiff flex.



短いスキーは  
硬い!



### IDEA



スニーカーの  
ソール!?

### SOLUTION

U-Flex technology.




U-Flex採用で  
短いスキーでも  
ソフトフレックス!



## MAXX BLK RED

Quick Shift

¥ OPEN




CODE\_AFDEZJ19 PROFILE\_EarlyRise Rocker TECHNOLOGY\_U-Flex Technology, Full Power Cap, Synflex, Fiberglass

GEOMETRY\_101/69/90 LENGTH RADIUS\_70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE\_Quick Shift BINDING\_EL 4.5 GW AC SHIFT BLK

## SKY

Quick Shift

¥ OPEN



CODE\_AFFEZG19 PROFILE\_EarlyRise Rocker TECHNOLOGY\_U-Flex Technology, Full Power Cap, Synflex, Fiberglass

GEOMETRY\_101/69/90 LENGTH RADIUS\_70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE\_Quick Shift BINDING\_EL 4.5 GW AC SHIFT WHT

## PINBALL CAMO

Quick Shift

¥ OPEN




CODE\_AFMFST19 PROFILE\_EarlyRise Rocker TECHNOLOGY\_Full Power Cap, Synflex Core, Fiberglass GEOMETRY\_125/76/103

LENGTH RADIUS\_100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE\_Quick Shift BINDING\_EL 4.5 GW AC SHIFT BLK

## LIL SNOW

Quick Shift

¥ OPEN



CODE\_AFMFSS19 PROFILE\_EarlyRise Rocker TECHNOLOGY\_Full Power Cap, Synflex Core, Fiberglass GEOMETRY\_101/67/91

LENGTH RADIUS\_100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE\_Quick Shift BINDING\_EL 4.5 GW AC SHIFT WHT



### ROLLER BAG

SALES CODE\_CJ001118  
 SIZE\_W/36×H/35×D/76cm  
 ¥18,000(税抜価格)



収納式ハンドル 二輪キャスター付



### BIG BACK PACK

SALES CODE\_CJ001018  
 SIZE\_W/44×H/54×D/38cm  
 ¥14,000(税抜価格)



左右ポケットは  
 スキーブーツ収納可能



### SKI BAG SINGLE III

SALES CODE\_CJ000716  
 SIZE\_M : ~175cm  
 L : ~185cm  
 ¥6,900(税抜価格)

### SKI BAG DOUBLE III

SALES CODE\_CJ000816  
 SIZE\_M : ~175cm  
 L : ~185cm  
 ¥8,200(税抜価格)



black/green

### SKI BAG SINGLE II LADIES

SALES CODE\_CJ000916  
 SIZE\_S : ~165cm  
 ¥6,900(税抜価格)



black/pink  
 (Ladies)

### SKI CASE JP II

SALES CODE\_CJ000415  
 SIZE\_M : ~175cm  
 ¥4,800(税抜価格)



宅配伝票対応ポケット付



black/green

### SKI CASE JP II LADIES

SALES CODE\_CJ000515  
 SIZE\_S : ~165cm  
 ¥4,800(税抜価格)



宅配伝票対応ポケット付



black/pink  
 (Ladies)

### SKI TIP COVER

SALES CODE\_CJ000615  
 SIZE\_FREE  
 ¥3,200(税抜価格)



Top

Tail



Always Good Times®



**elan**

ELAN JAPAN CO., LTD.

TOMOE Bldg 2F, 3-3-4 Kandamisaki-cho, Chiyoda-ku, Tokyo, Japan 101-0061  
Tel. 03 (6272) 9016 Fax. 03 (6272) 9018